




USB Audio Version 1.0 for Analog Devices ADSP-BF70x Release Notes

Closed Loop Design, LLC

support@cld-llc.com

Table of Contents

Library Release Notes:.....	2
Version 2.00.....	2
Version 1.2.....	2
Version 1.1.....	2
Version 1.0.....	2
Example Project Release Notes:	2
Version 2.00.....	2
Version 1.3.....	2
Version 1.2.....	2
Version 1.1.....	2
Version 1.0.....	2

Library Release Notes:

Version 2.00

- Modified so interrupt service routines used by the library are exposed to the User.
- Enumerated USB event modified to show the USB connection speed (high-speed or full-speed).
- Improved USB endpoint FIFO is clearing.

Version 1.2

- Added USB Suspend and USB Resume notifications to the `fp_cld_usb_event_callback` function.

Version 1.1

- Added USB DMA support.
- Enabled the "Allow mixing of sizes (-double-size-any)" Cross Core Embedded Studio's Compiler Processor option.
- Modified the library header to work in a C++ build environment

Version 1.0

Initial Release

Example Project Release Notes:

Version 2.00

Modified to use version 2.00 of the CLD library.

Version 1.3

Modified to include version 1.3 of the CLD Audio 1.0 library and support Suspend/Resume notifications.

Version 1.2

Modified to include version 1.1 of the CLD Audio 1.0 library

Version 1.1

Updated to include the workaround for silicon anomaly workaround 19000042

http://download.analog.com/tools/CrossCoreEmbeddedStudio/Releases/Release_1.1.1/CrossCoreEmbeddedStudio-ReleaseNotes-Rel1.1.1.pdf

Version 1.0

Initial Release